


SITE PLAN

AMERICAN CANYON HIGH SCHOOL

OCCUPANCY: A-1E-1B
 CONSTRUCTION TYPE: TYPE I-N
 FIRE PROOFING REQUIRED ONLY IN WALL, FLOOR ROOFCEILING ASSEMBLIES AND DOORS AND CORRIDORS. ALL EXPOSED STRUCTURAL MEMBERS IN CORRIDORS SHALL HAVE A 1-HR FIRE RATING. FF FIRE PROOFING AT EXPOSED CONDITIONS, UOI.

WALL TYPE LEGEND

- ALL METAL FRAMING IS 6" STUDS, U.O.I.N. S.D.D. FF
- WOOD FRAMING - NON RATED
 - WOOD FRAMING - 1 HOUR RAI
 - WOOD FRAMING - 1 HOUR OCCUPANCY SEPARATION
 - METAL FRAMING - NON RATED
 - METAL FRAMING - 1 HOUR RAI
 - METAL FRAMING - 1 HOUR OCCUPANCY SEPARATION
 - METAL FRAMING - 2 HOUR RAI
 - CMU - NON RATED



BUILDING A CODE ANALYSIS PLAN - FIRST FLOOR

1/16" = 1'-0"

AMERICAN CANYON HIGH SCHOOL